Enviro Gas Fireplace Inserts

E20 • E30 • E33 • E44












- Clean Face Look No Louvers
- Cast Iron Heat Exchanger
- SIT Valve 820 (Standing Pilot)
- Glass Size: 213/4" x 133/4", 300 in²
- High Definition Log Set
- Easy Access Burner Switch
- 110 CFM Room Fan (with Variable Control)
- Limited Lifetime Warranty

Available Options

- Hearth Shelf
- Remote or Thermostat Control
- Glass or Log Set Burner
- Safety Screen
- Liner Options:
 - Brick or Fluted Liner with Logs
 - Black Enameled Liner with Glass or Logs
- Surround Options:
 - Keystone Surround
 - Contemporary Surround
 - Extruded Surround
 - 4-Sided Extruded Surround
- Trimmable Surround

Model	E20			
Unit Dimensions	24"w 11 ^{.87} "d 18 ^{3/16} "h			
BTU Maximum Input	23,000 вти			
BTU Minimum Output	8,000 вти			
Heating Area	1,200 sq. ft.			
Energuide FE Rating (P4)	61%			
Steady State Efficiency	81%			





Extruded Surround Panel



Black Glass with Decorative Stones



Ceramic Brick Liner with Log Set








- Clean Face Look No Louvers
- SIT Valve 820 (Standing Pilot)
- SIT Valve 885 (IPI System with Remote)
- Glass Size: 261/4" x 16", 420 in²
- High Definition Log Set
- Easy Access Burner Switch
- 150 CFM Room Fan (with Variable Control)
- Limited Lifetime Warranty

Available Options

- Hearth Shelf
- Remote or Thermostat Control
- Glass or Log Set Burners
- Safety Screen
- Liners Options:
 - Brick Liner with Logs
 - Black Enameled Liner with Glass or Logs
- Surround Options:
 - Keystone Surround
 - Contemporary Surround
 - Extruded Surround
 - 4-Sided Extruded Surround
 - Trimmable Surround

Model	E30
Unit Dimensions	27 ^{.64} "w 14 ^{.35} "d 19 ^{.73} "h
BTU Maximum Input	33,000 вти
BTU Minimum Output	10,000 вти
Heating Area	1,700 sq. ft.
IPI FE Rating (P4)	70%
Steady State Efficiency	81%





Ceramic Brick Liner with Log Set



Keystone Surround Panel



Black Glass Fire Bed








- Clean Face Look No Louvers
- SIT Valve 820 (Standing Pilot)
- SIT Valve 885 (IPI System with Remote)
- Glass Size: 281/2" x 18", 513 in²
- High Definition Log Set
- Easy Access Burner Switch
- 150 CFM Room Fan (with Variable Control)
- Limited Lifetime Warranty
- Quick Access Valve Controls
 Contemporary and Extruded Panels Only

Available Options

- Hearth Shelf
- Remote or Thermostat Control
- Glass, Bowl, or Log Set Burner
- Safety Screen
- Liners Options:
 - Brick Liner with Logs
 - Black Enameled Liner with Glass or Logs
- Surround Options:
 - Keystone Surround
 - Contemporary Surround
 - Extruded Surround
 - 4-Sided Contemporary Surround
 - Trimmable Surround

Model	E33
Unit Dimensions	31 ^{.65} "w 15 ^{.45} "d 19 ^{.78} "h
BTU Maximum Input	34,000 вти
BTU Minimum Output	11,000 вти
Heating Area	1,800 sq. ft.
IPI FE Rating (P4)	70.6%
Steady State Efficiency	82%






Clear Glass with Bowl Burner



Optional Safety Screen



Log Set on Cast Iron Grate Bed




- Clean Face Look No Louvers
- SIT Valve 885 (IPI System with Remote)
- Glass Size: 30 ^{5/8}" x 22 ^{1/4}", 681 in²
- High Definition Log Set
- Remote Control Included
- 200 CFM Room Fan (with Variable Control)
- Limited Lifetime Warranty

Available Options

- Hearth Shelf
- Thermostat Control
- Safety Screen
- Liners Options:
 - Brick Liner
 - Black Enameled Liner
 - Ledgestone Liner
- Surround Options:
 - Keystone Surround
 - Contemporary Surround
 - Extruded Surround
 - 4-Sided Extruded Surround - Cape Cod Doors

 - Trimmable Surround

Model	E44
Unit Dimensions	34"w 18 ^{.5} "d 24"h
BTU Maximum Input	42,000 BTU
BTU Minimum Output	13,000 вти
Heating Area	2,300 sq. ft.
IPI FE Rating (P4)	63.4%
Steady State Efficiency	70%





Cape Cod Doors with Safety Screen



Hearth Shelf




Log Set with Ledgestone Liner

Specifications

Performance Specifications	E20 Small Gas Insert	E30 Medium Gas Insert	E33 Large Gas Insert	E44 Extra Large Gas Insert
BTU Maximum input	23,000 BTU	33,000 вти	34,000 BTU	42,000 BTU
Turn Down*	8,000 BTU	10,000 BTU	11,000 BTU	13,000 вти
Heat Exchanger	Cast Iron	Steel	Steel	Steel
SIT Valve 820 (Standing Pilot)	Available	Available	Available	
SIT Valve 885 (IPI System with Remote)		Available	Available	Available
Efficiency - Steady State**	81%	81%	82%	82%
Efficiency - AFUE	71%	63%	66%	66.1
Efficiency - FE rating***	61%	70%	70.6%	63.4
Glass Size	21¾" x 13¾", 300 in²	26¼" x 16", 420 in²	28½" x 18", 513 in²	30 ^{5/8} " x 22½", 681 in²
Convection Fan	110 CFM	150 CFM	150 CFM	200 CFM

Installation Specifications	E20 Small Gas Insert	E30 Medium Gas Insert	E33 Large Gas Insert	E44 Extra Large Gas Insert
Size (WxDxH)	24"w 11 ^{.87} "d 18 ^{3/16} "h	27 ^{.64} "w 14 ^{.35} "d 19 ^{.73} "h	31.65"w 15.45"d 19.78"h	34"w 18½"d 24"h
LP Conversion Kit (Standing Pilot)	Standard	Standard	Standard	
LP Conversion Kit (IPI System)		Optional	Optional	Optional
Venting (Direct Vent)	3" & 2"	3" x 3"	3" x 3"	3" x 3"
Weight (lbs)	90 lbs	116 lbs	135 lbs	210 lbs
Wood ZC Fireplace Approved	Standard	Standard	Standard	Standard
ZC Floor Removal Approved		Standard	Standard	

Minimum Clearance to Combustibles	E20	E30	E33	E44
A - center of unit to side wall	19½"	21"	24"	23½"
B - bottom of unit to bottom of 12" mantle	39¾"	36"	36"	40"
C - bottom of unit to max. ¾" combustible facing	37½"	30"	30"	40"
D - center of unit to side facing	16½"	22"	23"	23"
E - front of door to edge of floor protection	13"	16"	16"	16" ****



^{*} Turn down based on AFUE efficiencies on low.

^{**} Steady state rating based on conventional venting configuration.

^{***} E30 and E33 efficiency based on the P4 measured efficiency rating of the IPI models.

^{****} Based on a minimum $\frac{1}{2}$ " raised hearth (18" flush).

Available Options

Surround Panels	E20 Small Gas Insert	E30 Medium Gas Insert	E33 Large Gas Insert	E44 Extra Large Gas Insert
Contemporary Surround	35.4" × 23.8"	39.8" × 25"	44.1" × 26.5"	45" x 30 ^{1/8} "
Keystone Surround	35.4" x 23.8"	39.8" x 25"	43.5" x 26.5"	45" x 30 ^{1/8} "
Extruded Surround	35.4" × 23.8"	39.8" x 25"	44.1" x 26.5"	45" x 30 ^{1/8} "
Cape Cod Doors				45" x 30 ^{1/8} "
Trimmable Surround	41.8" x 28.8"	46" x 38"	46" x 38"	55" x 36"
Oversize Contemporary Surround	37.4" x 26.9"	39.8" x 29"	44.1" x 29"	
Oversize Extruded Surround	37.4" × 26.9"	39.8" x 29"	44.1" × 29"	
4-Sided Extruded Surround	35.4" x 29.6"	39.8" x 31.4"		45" x 37 ^{1/16} "
4-Sided Trimmable Surround	41.8" x 39.5"	46" x 41.1"		55" x 47"
Firebox Liners	E20 Small Gas Insert	E30 Medium Gas Insert	E33 Large Gas Insert	E44 Extra Large Gas Insert
Ceramic Brick Liner	~	✓	~	~
Black Enameled Steel Liner	✓	~	~	✓
Ceramic Fluted Liner	~			
Ledgestone Liner				~
Burner Variations	E20 Small Gas Insert	E30 Medium Gas Insert	E33 Large Gas Insert	E44 Extra Large Gas Insert
High Definition Log Set Burner	~	~	~	~
Glass Burner Tray (Black Glass)	~	✓		
Glass Burner Bowl (Black Glass)			~	
Additional Options	E20 Small Gas Insert	E30 Medium Gas Insert	E33 Large Gas Insert	E44 Extra Large Gas Insert
Decorative Stones (Glass Tray Burners Only)	~	✓		
Hearth Shelf (N/A with 4-Sided Surround Panels)	~	✓	✓	~
Riser (N/A with 4-Sided Surround Panels)	~	~	✓	~
Safety Screen	~	~	✓	~
Programmable Thermostat	Optional	Optional	Optional	Optional
Proflame Remote Control	Optional	Standard with IPI Optional with 820 Nova	Standard with IPI Optional with 820 Nova	Standard

Design Elements

Surround Panels



Extruded
Available for the E20, E30, E33, and the E44



Keystone Available for the E20, E30, E33, and the E44



Trimmable
Available for the E20, E30, E33, and the E44



Contemporary
Available for the E20, E30, E33, and the E44



Cape Cod Doors

Available for the E44



4-Sided ExtrudedAvailable for the E20, E30, and the E44

Firebox Elements



Ceramic Brick Liner
Available for the E20, E30, E33, and the E44



Ceramic Fluted Liner
Available for the E20



Black Enameled Steel Liner Available for the E20, E30, E33, and the E44



Ledgestone Liner
Available for the E44



Decorative Stones

Available for the E20 and E30 (glass burner only)



Bowl Burner with Glass Available for the E33





High Definition Log Set
Available for the E20, E30, E33, and the E44




Tray Burner with Glass Available for the E20 and E30


Unit Dimensions





Unit Dimensions





Gas Fireplace Insert Features & Options



Clean Face Design

We have designed our gas inserts to operate without having louvers above or below the glass. This achieves a clean modern look while maximizing the viewing area.



Optional Riser and Hearth Shelf

Don't let the construction of your existing hearth limit your options. Hearth shelves and risers can be added to all Inserts



Heat Exchanger

Our inserts use a Heat Exchange System that is able to achieve up to 82% efficiency by pulling heat from the firebox into the path of the fan to be spread throughout



Remote & Thermostat Control

For added convenience, an optional remote or thermostat control is also available. Maintain full control of your fireplace without ever having to leave the couch.



Valve Control

The valve control system allows for a 50% turn-down capacity, helping you to even out temperature changes for a more comfortable room.



Choice of Burner

Embrace the rustic look with our authentic log set, or go contemporary with a glass burner.



High Definition Log Set

Enviro's designers have used highest quality ceramic materials to create beautifully accented log sets. Our artisans then decorate these logs in up to 7 different colors for that authentic fireplace look.



Optional Safety Screen

Specially designed safety screens provide you with piece of mind that your whole family can enjoy the ambience of your new fireplace.



Variable Speed Fan Control

Our fully adjustable fan control system allows you to choose the appropriate air circulation for your needs.



Choice of Firebox Liner

Choose from a realistic ceramic brick, ledgestone, black enamel or fluted liner to provide the perfect backdrop for the most beautiful flame in the business.



No Power? — No Problem!

In the event of a power outage, our gas Inserts will continue to provide warmth.



Choice of Surround Panel

Choose the surround panel to best match your room. Contemporary, keystone, and extruded panels are available for all units. Four-sided and trimmable panel options are available for specific combinations.



Warranty

Because we use the highest quality materials available, we are able to offer an extensive limited lifetime warranty program. See owner's manual for details.

















